


101 633392

cafe



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William C. Lincoln et al.

Examiner: Evanisko, George

Patent No.: 7,245,969

Group Art Unit: 3762

Issue Date: July 17, 2007

Docket No: 279.360US2

Title: CARDIAC RHYTHM MANAGEMENT SYSTEM SELECTING A-V DELAY BASED ON  
INTERVAL BETWEEN ATRIAL DEPOLARIZATION AND MITRAL VALVE CLOSURE

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: CERTIFICATE OF CORRECTION BRANCH

**Certificate**  
AUG 22 2007  
**of Correction**

We are transmitting herewith the attached:

- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

**Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.**

SCHWEGMAN, LUNDBERG, & WOESSNER, P.A.  
Customer No: 21186


By: S. Arora  
Name: Suneel Arora  
Reg. No. 42,267  
SA:CMG:raq

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 16 day of August 2007.

Kris Solis  
Name

Y. Solis  
Signature

AUG 22 2007



Patent 7,245,969

PATENT

**IN UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent No.: 7,245,969

Docket No: 279.360US2

Issue Date: July 17, 2007

Patentee: William C. Lincoln et al.

Customer No.: 21186

Confirmation No.: 2819

Title CARDIAC RHYTHM MANAGEMENT SYSTEM SELECTING A-V DELAY  
BASED ON INTERVAL BETWEEN ATRIAL DEPOLARIZATION AND  
MITRAL VALVE CLOSURE

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTN: CERTIFICATE OF CORRECTION BRANCH

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

**As the error is that of the Patent Office, it is believed that no fee is due.**

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.

Respectfully Submitted

SCHWEGMAN, LUNDBERG, & WOESSNER, P.A  
P.O. Box 2938  
Minneapolis, MN 55402  
(612) 373-6900

Date: August 15, 2007

By: Suneel Arora  
Suneel Arora  
Reg. No: 42,267  
SA:raq

**CERTIFICATE UNDER 37 CFR § 1.8:** The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 16 day of August 2007

Kris Solis  
Name

Kris Solis  
Signature

AUG 22 2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,245,969

Page (1) of 1

DATED : July 17, 2007

INVENTOR(S) : Lincoln et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 8, line 9, in Claim 1, delete "wit" and insert - - with - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 279.360US2

PATENT NO. 7,245,969

No. of additional copies

→

AUG 22 2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,245,969

Page (1) of 1

DATED : July 17, 2007

INVENTOR(S) : Lincoln et al.

It is certified that error appears in the above-identified patent and that said Letters Patent  
is hereby corrected as shown below:

In column 8, line 9, in Claim 1, delete "wit" and insert - - with - - , therefor.

}

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.  
P.O. BOX 2938  
Minneapolis, MN 55402

Atty Docket No: 279.360US2

PATENT NO. 7,245,969

No. of additional copies

➡

AUG 22 2007